Author index

AHONEN, E. (*see* HARTIKAINEN, J.)

AL-FALAHE, N. A., NAGAOKA, M. & VALLBO, Å. B. Lack of fusimotor modulation in a motor adaptation task in man, 23

ALARANTA, S. (*see* SJOSTRAND, N. O.)

ALEXANDROV, YU. I., GRINCHENKO, YU. V., LAUKKA, S., JÄRVILEHTO, T., MAZ, V. N. & SVETLAJEV, I. A. Acute effect of ethanol on the pattern of behavioural specialization of neurons in the limbic cortex of the freely moving rabbit, 257

ANDERSEN, F. R., SEJERSTED, O. M. & ILEBEKK, A. Isoprenaline augments total myocardial K influx of the in-situ beating porcine heart, 413

ANDERSEN, H., BJERREGAARD, H. & NIELSEN, R. Effect of 12-*O*-tetradecanoyl phorbol 13-acetate on solute transport and production of cAMP in isolated frog skin, 199

ANDERSSON, K. E. (*see* GARCIA-PASCUAL, A.)

ANDERSSON, K.-E. (*see* LINDGREN, S. H. S.)

ANDERSSON, P. O., MALMGREN, A. & UVELIUS, B. Functional responses in different muscle types of the female rat urethra *in vitro*, 365

ANDERSSON, S. A. (*see* SHYU, B. C.)

ANDERSSON, T. L. G. (*see* LINDGREN, S. H. S.)

ARNEKLO-NOBIN, B. (*see* BODELSSON, M.)

ARVIDSON, G. (*see* OLAISSON, H.)

ARLOCK, P. & WOHLFART, B. Force production following transient potential changes in voltage-clamped myocardium, 63

AUSONI, S. (*see* KLITGAARD, H.)

BALAGUER, J. (*see* CADEFAU, J.)

BANGSBO, J. (*see* JUEL, C.)

BETTO, R. (*see* KLITGAARD, H.)

BIE, P. (*see* EMMELUTH, C.)

BJERREGAARD, H. (*see* ANDERSEN, H.)

BJÖRNBERG, J. Forces involved in transcapillary fluid movement in exercising cat skeletal muscle, 221

BJÖRNBERG, J. (*see* MASPERS, M.)

BODELSSON, M., ARNEKLO-NOBIN, B. & TÖRNEBRANDT, K. Effect of cooling on smooth muscle response to 5-hydroxytryptamine in human hand veins, 331

BOUSKELA, E., GRAMPP, W. & MELLANDER, S. Effects of hypertonic NaCl solution on microvascular haemodynamics in normo- and hypovolaemia, 85

BROADLEY, K. J. Evidence from lack of decentralization-induced supersensitivity that β-adrenoceptors of the cat nictitating membrane are non-innervated, 481

CADEFAU, J., CASEDEMONT, J., GRAU, J. M., FERNANDEZ, J., BALAGUER, J., VERNET, M., CUSSO, R. & URBANO-MÁRQUEZ, A. Biochemical and histochemical adaptation in young athletes, 341

CARLSSON, S. (*see* HOFFMAN, P.)

CARLSSON, S., SKARPHEDINSSON, J. O., JENNISCHE, E., DELLE, M. & THOREN, P. Neurophysiological evidence for and characterization of the post-ganglionic innervation of the adrenal gland in the rat, 491

CASEDEMONT, J. (*see* CADEFAU, J.)

COLLIANDER, E. B. (*see* TESCH, P. A.)

COLLIANDER, E. B. & TESCH, P. A. Effects of eccentric and concentric muscle actions in resistance training, 31

CONRADI, N. G., SJOSTROM, A., GUSTAFSSON, B. & WIGSTROM, H. Decreased nerve conduction velocity in optic nerve following early post-natal low dose lead exposure, 515

CURTHOYS, N. P. (*see* HYSING, J.)

CUSSÓ, R. (*see* CADEFAU, J.)

DAHLIN, L. B. (*see* SHYU, B. C.)

DANIELSEN, N. (*see* SHYU, B. C.)

DELLE, M. (*see* CARLSSON, S.)

DELLE, M. (*see* HOFFMANN, P.)

DICKINSON, K. E. J. (*see* HIRSCHOWITZ, B. I.)

EDVINSSON, L. (*see* OTTOSSON, A.)

EIDE, P. K. Effects of intrathecal substance P and a substance P antagonist on a reflex to noxious heat are independent of changes in tail skin tempeature, 539

EKELUND, U. & MELLANDER, S. Role of endothelium-derived nitric oxide in the regulation of tonus in large-bore arterial resistance vessels, arterioles and veins in cat skeletal muscle, 301

EKSTRÖM, J. & TOBIN, G. Protein secretion in salivary glands of cats *in vivo* and *in vitro* in response to vasoactive intestinal peptide, 95

EKSTRÖM, J. (*see* NILSSON, B.-O.)

ELDH, J. (*see* SJOSTRAND, N. O.)

EMMELUTH, C., SCHÜTTEN, H. J., KNIGGE, U., WARBERG, J. & BIE, P. Increase in plasma sodium enhances natriuresis in response to a sodium load unable to change plasma atrial peptide concentration, 119

ERIKSSON, I. E. (*see* BAO, J. X.)

ERIKSEN, M. (*see* WAALER, B. A.)

FERNANDEZ J. (*see* CADEFAU, J.)

FLOCK, B. (*see* LANNERGREN, J.)

FREDHOLM, B. B. Adenosine A1-receptor-mediated inhibition of evoked acetylcholine release in the rat

hippocampus does not depend on protein kinase C, 245
FRIMAN, S., RÅDBERG, G. & SVANVIK, J. Adrenergic influence on bile secretion – an experimental study in the cat, 287

GARCIA-PASCUAL, A., LARSSON, B. & ANDERSSON, K. E. Contractile effects of endothelin-1 and localization of endothelin binding sites in rabbit lower urinary tract smooth muscle, 545
GAUTVIK, K. M. (*see* WRIGHT, M. S.)
GOBBETTI, A. & ZERANI, M. *In-vivo* stimulatory effects of mammalian gonadotropin-releasing hormone in female frog, *Rana esculenta*, during the recovery phase, 299
GONON, F. G. (*see* MERMET, C.)
GORZA, L. (*see* KLITGAARD, H.)
GRAHAM, T. (*see* JUEL, C.)
GRAMPP, W. (*see* BOUSKELA, E.)
GRAU, J. M. (*see* CADEFAU, J.)
GRINCHENKO, YU. V. (*see* ALEXANDROV, YU. I.)
GUSTAFSSON, B. (*see* CONRADI, N. G.)
GUSTAFFSON, L. E. (*see* PERSSON, M. G.)

HAGBARTH, K.-E. (*see* SCHMIDT, R. F.)
HAKUMÄKI, M. (*see* HARTIKAINEN, J.)
HALLÉN, A. (*see* PERNOW, J.)
HARTIKAINEN, J., AHONEN, E., NEVALAINEN, T., SIKANEN, A. & HAKUMÄKI, M. Haemodynamic information encoded in the aortic baroreceptor discharge during haemorrhage, 181
HARTMANN, A. (*see* STOKKE, E. S.)
HEDQVIST, P. (*see* PERSSON, M. G.)
HEMSÉN, A. (*see* PERNOW, J.)
HERRARA-MARSCHITZ, M. (*see* REID, M. S.)
HILI, S. J. (*see* OTTOSSON, A.)
HIRSCHOWITZ, B. I., UEMURA, N., MATSUMOTO, H. & DICKINSON, K. E. J. The role of Ca^{2+} in the time-dependent pepsinogen secretion of frog oesophageal peptic glands stimulated by bombesin, 401
HOFFMANN, P., CARLSSON, S. & THORÉN, P. The effects of μ, δ- and κ-opiod receptor antagonists on the pain threshold increase following muscle stimulation in the rat, 353
HOFFMANN, P., DELLE, M. & THORÉN, P. Role of opioid receptors in the long-lasting blood pressure depression after electric muscle stimulation in the hind leg of the rat, 191
HOFFMAN, P., SKARPHEDINSSON, J. O. & THORÉN, P. Electric muscle stimulation in the spontaneously hypertensive rat induces a post-stimulatory reduction in activity: role of different opioid receptors, 507
HOLM, I. (*see* JANSSEN, E.)
HOPER, J. & KESSLER, M. Sodium dependence of the noradrenaline-induced flow charge in the isolated perfused rat liver, 447
HOGSET, A. (*see* WRIGHT, M. S.)

HYSING, J., TOLLESHAUG, H. & CURTHOYS, N. P. Reabsorption and intracellular transport of cytochrome *c* and lysozyme in rat kidney, 419

IIJIMA, T., SAND, O., SEKIGUCHI, T. & MATSUMOTO, G. Simultaneous recordings of cytosolic Ca^{2+} level and membrane potential and current during the response to thyroliberin in clonal rat anterior pituitary cells, 269
ILEBÉKK, A. (*see* ANDERSEN, F. R.)
IVERSON, P. O. & NICOLAYSEN, O. The distribution of blood flow and glucose uptake within single skeletal muscles in the awake rabbit, 373

JACOBS, I. (*see* JANSSEN, E.)
JANBU, T. (*see* WAALER, B. A.)
JANSSEN, E., ESBJÖRNSSON, M., HOLM, I. & JACOBS, I. Increase in the proportion of fast-twitch muscle fibres by sprint training in males, 359
JÄRVILEHTO, T. (*see* ALEXANDROV, YU. I.)
JENNISCHE, E. (*see* CARLSSON, S.)
JODAL, M. (*see* TANTISIRA, M. H.)
JOHANSSON, G. (*see* PORKKA-HEISKANEN, T.)
JUEL, C., BANGSBO, J., GRAHAM, T. & SALTIN, B. Lactate and potassium fluxes from human skeletal muscle during and after intense, dynamic, knee extensor exercise, 147

KARLSEN, H. E. (*see* WRIGHT, M. S.)
KEHR, J. (*see* REID, M. S.)
KESSLER, M. (*see* HOPER, J.)
KIIL, F. (*see* STOKKE, E. S.)
KLINGE, E. (*see* SJOSTRAND, N. O.)
KLITGAARD, H., MANTONI, M., SCHIAFFINO, S., AUSONI, S., GORZA, L., LAURENT-WINTER, C., SCHNOHR, P. & SALTIN, B. Function, morphology and protein expression of ageing skeletal muscle: a cross-sectional study of elderly men with different training backgrounds, 41
KLITGAARD, H., ZHOU, M. & RICHTER, E. A. Myosin heavy chain composition of single fibres from m. biceps brachii of male body builders, 175
KLITGAARD, H., ZHOU, M., SCHIAFFINO, S., BETTO, R., SALVIATI, G. & SALTIN, B. Ageing alters the myosin heavy chain composition of single fibres from human skeletal muscle, 55
KNIGGE, U. (*see* EMMELUTH, C.)
KNIGGE, U. (*see* MATZEN, S.)

LAAKSO, M.-L. (*see* PORKKA-HEISKANEN, T.)
LÄNNERGREN, H. (*see* WESTERBLAD, H.)
LÄNNERGREN, J., WESTERBLAD, H. & FLOCK, B. Transient appearance of vacuoles in fatigued *Xenopus* muscle fibres, 437
LARSSON, B. (*see* GARCIA-PASCUAL, A.)
LAUKKA, S. (*see* ALEXANDROV, YU. I.)
LAURENT-WINTER, C. (*see* KLITGAARD, H.)

LINDGREN, S. H. S., ANDERSSON, T. L. G., VINGE, E. & ANDERSSON, K.-E. Effects of isozyme-selective phosphodiesterase inhibitors on rat aorta and human platelets: smooth muscle tone, platelet aggregation and cAMP levels, 209
LUNDBERG, J. M. (*see* PERNOW, J.)
LUNDGREN, O. (*see* TANTISIRA, M. H.)

MA, J.-Y. (*see* OLAISSON, H.)
MALMGREN, A. (*see* ANDERSSON, P. O.)
MANTONI, M. (*see* KLITGAARD, H.)
MÅRDH, S. (*see* NORBERG, L.)
MÅRDH, S. (*see* OLAISSON, H.)
MASPERS, M., BJÖRNBERG, J. & MELLANDER, S. Relation between capillary pressure and vascular tone over the range from maximum dilatation to maximum constriction in cat skeletal muscle, 73
MATSUMOTO, H. (*see* HIRSCHOWITZ, B. I.)
MATSUMOTO, G. (*see* IIJIMA, T.)
MATZEN, S., KNIGGE, U., SCHÜTTEN, H. J., WARBERG, J. & SECHER, N. H. Atrial natriuretic peptide during head-up tilt induced hypovolaemic shock in man, 161
MAZ, V. N. (*see* ALEXANDROV, YU. I.)
MELLANDER, S. (*see* EKELUND, U.)
MELLANDER, S. (*see* BOUSKELA, E.)
MELLANDER, S. (*see* MASPERS, M.)
MERMET, C. On-line electrochemical monitoring of the local noradrenaline release evoked by electrical stimulation of the sympathetic nerves in isolated rat tail artery, 323
MERMET, C., GONON, F. G. & STJÄRNE, L. On-line electrochemical monitoring of the local noradrenaline release evoked by electrical stimulation of the sympathetic nerves in isolated rat tail, 323
MEYERHOF, W. (*see* WRIGHT, M. S.)
MONCADA, S. (*see* PERSSON, M. G.)
MULVANY, M. J. (*see* NEILSEN, H.)

NAGAOKA, M. (*see* AL-FALAHE, N. A.)
NEILSEN, H. & MULVANY, M. J. Neurally evoked responses of rat mesenteric resistance arteries are dependent on intracellular release of calcium, 459
NELSON, L. (*see* SVENNERSTEN, K.)
NEVALAINEN, T. (*see* HARTIKAINEN, J.)
NICOLAYSEN, O. (*see* IVERSON, P. O.)
NIELSEN, R. (*see* ANDERSEN, H.)
NILSSON, B.-O., ROSENGREN, E. & EKSTROM, J. Polyamines and long-term disuse of rat parotid glands, 105

OLAISSON, H., ARVIDSON, G., MA, J.-Y. & MÅRDH, S. Occurrence of phospholipase A_2 and lysophospholipase in a gastric H,K-ATPase-containing membrane fraction, and the formation of lysophosphatidylcholine in stimulated pig parietal cells, 383
OLAISSON, H., MÅRDH, S. & ARVIDSON, G. Calcium and calmodulin stimulate phospholipase A and fusion of H,K-ATPase-containing membrane vesicles isolated from pig gastric mucosa, 393
OLDFORS, A. (*see* ULLMAN, M.)
ORNUNG, G. & ULFHAKE, B. Changes in size and shape during histochemical preparation for light and electron microscopy of neurons intracellularly labelled with horseradish peroxidase, 501
ØSTENSEN, J. (*see* STOKKE, E. S.)
OTTOSSON, A., HILL, S. J. & EDVINSSON, L. Histamine receptors in brain vessels of guinea-pig: *in-vitro* pharmacology and ligand binding, 135

PAULSSEN, E. J. (*see* WRIGHT, M. S.)
PEDER, M. (*see* PORKKA-HEISKANEN, T.)
PERNOW, J., HEMSÉN, A., HALLÉN, A. & LUNDBERG, J. M. Release of endothelin-like immunoreactivity in relation to neuropeptide Y catecholamines during endotoxin shock and asphyxia in the pig, 311
PERSSON, M. G., GUSTAFFSON, L. E., WIKLUND, N. P., MONCADA, S. & HEDQVIST, P. Endogenous nitric oxide as a probable modulator of pulmonary circulation and hypoxic pressor response *in vivo*, 449
PORKKA-HEISKANEN, T., LAAKSO, M.-L., STENBERG, D., PEDER, M. & JOHANSSON, G. Testosterone elevates pituitary prolactin content of long-term castrated rats under constant but not periodic light, 279

RÅDBERG, G. (*see* FRIMAN, S.)
REED, R. K. (*see* RODT, S. A.)
REID, M. S., HERRARA-MARSCHITZ, M., KEHR, J. & UNGERSTEDT, U. Striatal dopamine and glutamate release: effects of intranigral injections of substance P, 527
RICHTER, E. A. (*see* KLITGAARD, H.)
RODT, S. A., WIIG, H. & REED, R. K. Increased negativity of interstitial fluid pressure contributes to development of oedema in rat skin following application of xylene, 581
ROSENGREN, E. (*see* NILSSON, B.-O.)

SALTIN, B. (*see* JUEL, C.)
SALTIN, B. (*see* KLITGAARD, H.)
SALTIN, B. (*see* KLITGAARD, H.)
SALVIATI, G. (*see* KLITGAARD, H.)
SAMUELSON, U. E. (*see* SJOSTRAND, N. O.)
SAND, O. (*see* IIJIMA, T.)
SCHIAFFINO, S. (*see* KLITGAARD, H.)
SCHIAFFINO, S. (*see* KLITGAARD, H.)
SCHMIDT, R. F. & WAHREN, L. K. Multiunit neural responses to strong finger pulp vibration. II. Comparison with tactile sensory thresholds, 11
SCHMIDT, R. F., WAHREN, L. K. & HAGBARTH, K.-E. Multiunit neural responses to strong finger pulp vibration. I. Relationship to age, 1
SCHNOHR, P. (*see* KLITGAARD, H.)

SCHÜTTEN, H. J. (*see* EMMELUTH, C.)
SCHÜTTEN, H. J. (*see* MATZEN, S.)
SECHER, N. H. (*see* MATZEN, S.)
SEGER, J. Y. (*see* WESTING, S. H.)
SEJERSTED, O. M. (*see* ANDERSEN, F. R.)
SEKIGUCHI, T. (*see* IIJIMA, T.)
SHYU, B. C., DANIELSEN, N., ANDERSSON, S. A. & DAHLIN, L. B. Effects of sympathetic stimulation on C-fibre response after peripheral nerve compression: an experimental study in the rabbit common peroneal nerve, 237
SIKANEN, A. (*see* HARTIKAINEN, J.)
SJÖSTRAND, N. O., ELDH, J., SAMUELSON, U. E., ALARANTA, S. & KLINGE, E. The effects of L-arginine and N^G-monomethyl L-arginine on the inhibitory neurotransmission of the human corpus cavernosum penis, 297
SJOSTROM, A. (*see* CONRADI, N. G.)
SKARPHEDINSSON, J. O. (*see* CARLSSON, S.)
SKARPHEDINSSON, J. O. (*see* HOFFMAN, P.)
SKOTTNER, A. (*see* ULLMAN, M.)
SOMMERLAND, H. (*see* ULLMAN, M.)
STENBERG, D. (*see* PORKKA-HEISKANEN, T.)
STJÄRNE, L. (*see* BAO, J. X.)
STJÄRNE, L. (*see* MERMET, C.)
STOKKE, E. S., ØSTENSEN, J., HARTMANN, A. & KIIL, F. Loop diuretics reduce lithium reabsorption without affecting bicarbonate and phosphate reabsorption, 11
SVANVIK, J. (*see* FRIMAN, S.)
SVENNERSTEN, K., NELSON, L. & UVNAS-MOBERG, K. Feeding-induced oxytocin release in dairy cows, 295
SVETLAJEV, I. A. (*see* ALEXANDROV, YU. I.)

TANTISIRA, M. H., JODAL, M. & LUNDGREN, O. Further studies of the changes in alkaline secretion, transepithelial potential difference and net fluid transport induced by the heat-stable enterotoxin of *Escherichia coli* (ST_a) in the rat jejunum *in vivo*, 557
TESCH, P. A. (*see* COLLIANDER, E. B.)
TESCH, P. A., THORSSON, A. & COLLIANDER, E. B. Effects of eccentric and concentric resistance training on skeletal muscle substrates, enzyme activities and capillary supply, 575
THORÉN, P. (*see* CARLSSON, S.)
THORÉN, P. (*see* HOFFMAN, P.)
THORSSON, A. (*see* TESCH, P. A.)
THORSTENSSON, A. (*see* WESTING, S. H.)
TOBIN, G. (*see* EKSTRÖM, J.)
TOLLESHAUG, H. (*see* HYSING, J.)
TÖRNEBRANDT, K. (*see* BODELSSON, M.)

UEMURA, N. (*see* HIRSCHOWITZ, B. I.)
ULFHAKE, B. (*see* ORNUNG, G.)
ULLMAN, A. (*see* ULLMAN, M.)
ULLMAN, M., ULLMAN, A., SOMMERLAND, H., SKOTTNER, A. & OLDFORS, A. Effects of growth hormone on muscle regeneration and IGF-I concentration in old rats, 521
UNGERSTEDT, U. (*see* REID, M. S.)
URBANO-MÁRQUEZ, A. (*see* CADEFAU, J.)
UVELIUS, B. (*see* ANDERSSON, P. O.)
UNÄS-MOBERG, K. (*see* SVENNERSTEN, K.)

VALLBO, Å. B. (*see* AL-FALAHE, N. A.)
VERNET, M. (*see* CADEFAU, J.)
VINGE, E. (*see* LINDGREN, S. H. S.)

WAALER, B. A., ERIKSEN, M. & JANBU, T. The effect of a meal on cardiac output in man at rest and during moderate exercise, 167
WAHREN, L. K. (*see* SCHMIDT, R. F.)
WAHREN, L. K. (*see* SCHMIDT, R. F.)
WARBERG, J. (*see* EMMELUTH, C.)
WARBERG, J. (*see* MATZEN, S.)
WESTERBLAD, H. & LÄNNERGREN, H. Reversible increase in light scattering during recovery from fatigue in *Xenopus* muscle fibres, 429
WESTERBLAD, H. (*see* LÄNNERGREN, J.)
WESTING, S. H., SEGER, J. Y. & THORSTENSSON, A. Effects of electrical stimulation on eccentric and concentric torque–velocity relationships during knee extension in man, 17
WIGSTROM, H. (*see* CONRADI, N. G.)
WIIG, H. (*see* RODT, S. Å.)
WIKLUND, N. P. (*see* PERSSON, M. G.)
WOHLFART, B. (*see* ARLOCK, P.)
WRIGHT, M. S., KARLSEN, H. E., PAULSSEN, E. J., MEYERHOF, W., HOGSET, A. & GAUTVIK, K. M. Different-sized mRNAs from GHG_4C_1 cells induce a TRH-dependent electrical response in *Xenopus laevis* oocytes, 129

ZERANI, M. (*see* GOBBETTI, A.)
ZHOU, M. (*see* KLITGAARD, H.)

Subject index

Absorption, 73, 221
Acetylcholine, 401
Acetylcholine release, 245
Action potential, 63, 269
Adenosine, 209
Adenosine triphosphate, 467, 575
Adrenergic neurotransmission, 545
Adrenergic stimulation, 287
Age, 1, 11
Ageing, 41, 55
Alcohol, 257
α_1-, α_2- and β-adrenoceptors, 467
Alkaline secretion, 557
Anaesthsia, 373
Analgesia, 353
Androgens, 299
Anterior pituitary, 269
Aprotinin, 581
Arginine analogues, 449
Arginine vasotocin, 199
Arterial blood pressure, 161
Arteries, 459
Arterioles, 85
Asphyxia, 311
ATP, 567
Atrial natriuretic peptide, 119
Atrophy, 105
Autoradiography, 545
Autoreceptor, 245

Behaviour, 257, 507
β_2-Adrenoceptor-mediated relaxation, 481
β-Funaltrexamine, 353, 507
b-FNA, 191
Bilateral muscular strength, 31
Bile secretion, 287
Bladder, 545
Blood flow, 85
Blood pressure, 181, 191
Bumetanide, 111

C-fibres, 237
Calcitonin gene-related peptide (CGRP), 365
Calcium, 269, 393
Calmodulin, 393
cAMP, 199, 209
Capillary density, 575
Capillary pressure, 221
Capsaicin, 365
Cardiac output, 161, 167, 181
Cardiac reflexes, 161
Cardiac rhythmicity, 491
Catecholamines, 119, 311
Caudate nucleus, 527
Cellular mechansim, 557
Central blood volume, 161
Cerebral Vessels, 135
Circulation, 373
Co-transmission, 467
Coexistence of myosin isoforms, 55
Colloid osmotic pressure, 221
Conduction velocity, 515
Conscious dogs, 119
Contraction, 429, 437
Cooling, 331
Cortex, 527
Creatine phosphate, 575
Cross-sectional area, 41
Cytochrome c, 419
Cytosolic (Ca^{2+}), 401

Decentralization, 481
Denervation, 373
Dermis, 581
Desensitization, 401
Diameter measurements, 85
Diurnal, 279
Disuse, 105
Dogs, 11, 181

EGTA, 401
Electrical field stimulation, 467
Electrophysiological response, 129
Endocytosis, 419
Endothelin, 311
Endothelin-1, 545
Endothelium-derived relaxing factor, 301, 449
Endotoxin, 311
Enteric nervous reflex, 557
Erectile tissue, 297
Ethacrynic acid, 111
Excitation–contraction coupling, 63
Exercise, 147, 167
Exhaustion, 147
Extracellular calcium, 135

Fatigue, 429, 437
Female frog, 299
Fibre type, 341
Fibre type composition and area, 31
Filtration, 73, 221
Force depression, 429, 437
Frog skin, 199
Fura-2, 269
Fusion, 393

Glucose, 373
Glycogen, 341
Glycolytic enzymes, 341
Growth hormone, 521
2-Guanylbenzimidazol, 199
Guinea pig, 135

H^+, 567
H,K-ATPase, 383, 393, 567
Haemodynamics, 301
Haemorrhage, 181
Hand, 23, 331
Heart rate, 181
Hippocampus, 245
Histamine receptors, 135
Horseradish peroxidase, 501
Human, 23, 331
Human platelets, 209
Human skeletal muscle, 41, 55, 175
Human sprinters, 341
Humans, 359
5-Hydroxytryptamine, 331, 365
Hyperosmolality, 221
Hyperosmotic solution, 85
Hypertensive rat, 507
Hypertrophy, 31
Hypovolaemic shock, 85
Hypoxia, 449
Hypoxic pressor response, 449

ICI 154,129, 191
ICI 154,129, 2266 BS, 507
ICI 154,129, MR 2266 BS, 353
Impedance cardiography, 161
Indomethacin, 581
Inflammation, 581
Inhibition, 17
Insulin-like growth factor I, 521
Intracellular transport, 419
Intracellular labelling, 501
Ion distribution, 147
Isokinetic, 17
Isoprenaline, 209, 413

K^+, 567
Ketanserin, 311
Kidney, 11
Knee extensors, 147

L-Arginine, 301
Lactate efflux, 147
Lactotrophs, 269
Lead exposure, 515
Light and electron microscopy, 501
Light scattering, 437
Limbic cortex, 257
Lipoxygenase, 245
Lithium transport, 11
Lysophosphatidylcholine, 383
Lysophospholipase, 383
Lysozyme, 419

MR 2266 BS, 191
Mammlian gonadotropin-releasing hormone (mGnRH), 299
Man, 1, 11
Mannitol, 287
Maximal isometric torque, 41
Maximal voluntary strength, 17
Mechanoreceptors, 1, 11
Meissner corpuscles, 1
Membrane, 393
Membrane current, 269
Membrane potential, 269
Metabolic control, 73
Metabolism, 373
Microcirculation, 85, 301
Microneurography, 1, 11, 23
Microspheres, 373
Milrinone, 209
Monoamines, 527
Motoneuron, 501
Motor adaptation, 23
Mouse, 539
Muscle biopsy, 341
Muscle exercise, 191, 353, 507
Muscle fibre, 429, 437
Muscle fibre types, 359
Muscle hypertrophy, 575
Muscle spindle, 23
Muscle strength, 521
Myocardial Na^+,K^+-ATPase, 413
Myocardial biopsies, 413
Myocardial potassium influx, 413
Myocardium, 63
Myofibrillar ATPase, 175
Myofibrillar ATPase histochemistry, 55, 175
Myosin, 41
Myosin heavy chains, 55
Myosin isoforms, 175

Na^+ transport, 199
Naloxone, 191, 353, 507
Natriuresis, 119
Nerve compression, 237
Net fluid transport, 557
Neural transmission, 459
Neural unit activity, 257
Neuropeptide Y, 311
Nictitating membrane, 481
Nitric oxide, 297, 449
Non-adrenergic, non-cholinergic neurotransmission, 297
Non-myelinated, 237
Noradrenaline, 287, 459, 467
Noradrenaline release, 323

Oocytes, 129

OPC 3911, 209
Oedema, 581
17β-Oestradiol, 299
Opioid receptors, 191, 353, 507
Optic nerve, 515
Ornithine decarboxylase, 105
Osmotic water flow, 199

P_{2x}-purinoceptors, 467
Pain, 237
Parasympathetic nerve, 95
Parietal cell, 383, 393
Penis, 297
Peptides, 527
Perifused glands, 401
Peripheral resistance, 459
pH changes, 147
Phorbol ester, 245
Phosphodiesterase inhibitors, 209
Phospholipase A, 383, 393
Physical training, 359
Plasma volume, 221
Polyamines, 105
Polyethylene glycol, 287
Post-capillary resistance, 73
Post-exercise, 221
Post-ganglionic adrenal nerve activity, 491
Post-prandial circulation, 167
Potassium efflux, 147
Pre- and post-junctional, 467
Pre- and post-capillary resistance, 221
Precapillary resistance, 73
Preganglionic adrenal nerve activity, 491
Preparatory artifacts, 501
Pressoreceptors, 181
Protein, 521
Protein kinase C, 401
Protein secretion, 95
Pulmonary circulation, 449

Quantitative morphology, 501

Rabbit, 257, 545
Rat, 491, 515, 521, 581
Rat aorta, 209
Rat tail artery, 323
Ratio of pre- and post-capillary resistance, 73
Receptors, 331
Recovery, 429, 437
Regeneration, 521
Regulation, 373
Release, 311
Renal proteolysis, 419
Renin–angiotensin–aldosterone system, 119
Rhythm, 279
Rolipram, 209

Salivary glands, 95, 105
Sensory thresholds, 11
Single fibres, 55
Skeletal muscle, 17, 147, 359, 429, 437, 521
Skin, 1, 11
Smooth muscle, 297, 331, 365
Spantide, 539
Specific tension, 41
Splanchnic circulation, 167
Spontaneously, 507
Spontaneously hypertensive rat, 191, 353
Sprint training, 359
Stoichiometry, 567
Strength training, 31, 575
Stress, 279
Stretch reflex, 23
Striated muscle, 365
Stroke volume, 161
Subcellular ftractionation, 419
Substance P, 365, 539
Substantia nigra, 527
Supersensitivity, 481
Sympathetic, 467
Sympathetic control, 73
Sympathetic stimulation, 287
Sympathetic trunk stimulation, 237
Synergism, 309

T-tubules, 429
TRH receptor, 129
Tactile sensibility, 11
Tail skin temperature, 539
Tail-flick reflex, 539
Thick ascending limb of Henle's loop, 111
Thoracic aorta, 181
Thyroliberin, 269
Torque–velocity, 41
Training, 41, 175
Transepithelial potential difference, 557
Transport, 567
Tropomyosin, 41
12-*O*-tetradecanoyl phorbol 13-acetate, 199, 401
Type I fibres, 359
Type II fibres, 359

Urethra, 365, 545

Vascular endothelium, 301
Vascular resistance, 73
Vascular smooth muscle, 459
Vascular tone, 301
Vasoactive intestinal peptide, 95
Vasoconstriction, 73, 449, 467
Vasodilatation, 73
Vasomotion, 373
Veins, 331
Venules, 85
Voltammetry, 323
Volume expansion, 119

Xenopus laevis, 129, 429, 437
Xylene, 581